

```
SEQUENCE LISTING
 <110> Medical Research Council
 <120> Oligomeric Chaperone Proteins
 <130> 674508-2006
 <140> 10/007,314
 <141> 2001-11-08
 <150> GB 9911298.9
 <151> 1999-05-14
 <150> PCT/GB00/01822
 <151> 2000-05-12
 <150> GB 9930530.2
<151> 1999-12-23
<160> 14
<170> PatentIn version 3.1
<210> 1
<211> 33
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to PCR amplify Gp31 gene
cttcagacat atgtctgaag tacaacagct acc
                                                                     33
<210> 2
<211> 33
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to PCR amplify Gp31 gene
<400> 2
taacggccgt tacttataaa gacacggaat agc
                                                                     33
<210> 3
<211> 18
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to create a BamH I site
<400> 3
```

```
ggagaagttc ctgaactg
                                                                     18
<210> 4
<211> 21
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to create a BamH I site
<400> 4
ggatccggct tgtgcaggtt c
                                                                     21
<210> 5
<211> 28
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to amplify the GroEL gene minichaperone
<400> 5
ttcggatccg aaggtatgca gttcgacc
                                                                     28
<210> 6
<211> 28
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to amplify the GroEL gene minichaperone
<400> 6
gttggatcca acgccgcctg ccagtttc
                                                                     28
<210> 7
<211> 29
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to introduce mutations into the GroEL gene
<400> 7
tgagtacgat ctgttccagc ggagcttcc
                                                                     29
<210> 8
<211> 36
<212> DNA
<213> Artificial sequence
```

<220>

```
<223> oligonucleotide used to introduce mutations into the GroEL gene
 <400> 8
 attgcggcga agcgccggct gctgttgcta acaccg
                                                                      36
 <210> 9
 <211> 36
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> oligonucleotide used to PCR amplify the GroEL gene from E. coli
 <400>
 tagctgccat atggcagcta aagacgtaaa attcgg
                                                                      36
 <210> 10
 <211> 36
 <212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used to PCR amplify the GroEL gene from E. coli
atgtaacggc cgttacatca tgccgcccat gccacc
                                                                      36
<210> 11
<211> 20
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used in site directed mutagenesis using PCR
<400> 11
cggctggatc gttctgaccg
                                                                      20
<210> 12
<211> 26
<212> DNA
<213> Artificial sequence
<220>
<223> oligonucleotide used in site directed mutagenesis using PCR
<400> 12
gcagatttag tttcaacttc tttacg
                                                                     26
<210> 13
<211> 16
<212> DNA
```

ئ

<213> Artificial sequence <220> <223> oligonucleotide used to remove the DNA sequence encoding the mobi le loop of GroES <400> 13 tccggctctg cagcgg 16 <210> 14 <211> 28 <212> DNA <213> Artificial sequence <220> <223> oligonucleotide used to remove the DNA sequence encoding the mobi le loop of GroES <400> 14 tccagagcca gtttcaactt ctttacgc 28